

Beiblatt zu Serviceset Farbstufe Cobra 40-25 (Bestellnr. 2312289)

1 ALLGEMEINE SICHERHEITSHINWEISE

	 WARNUNG Unsachgemässe Wartung/Reparatur! Verletzungsgefahr und Geräteschäden. → Reparaturen und Austausch von Teilen nur durch speziell ausgebildetes Personal oder eine WAGNER-Servicestelle durchführen lassen. → Vor allen Arbeiten am Gerät und bei Arbeitsunterbrechungen: - Energie-/Druckluftzufuhr abschalten. - Spritzpistole und Gerät druckentlasten. - Spritzpistole gegen Betätigung sichern. → Bei allen Arbeiten Betriebs- und Serviceanleitung beachten.
--	---

Dieses Beiblatt enthält nur Informationen zum Serviceset.

→ Weiterführende Informationen wie Bedienung, Instandsetzung und Wartung der Doppelmembranpumpe und deren Sicherheitshinweise sind in der Betriebsanleitung enthalten.

Diese Einrichtung kann gefährlich sein, wenn sie nicht gemäss den Angaben der Betriebsanleitung betrieben wird.

Die Einhaltung dieser Anleitung ist Bestandteil der Gewährleistungsvereinbarungen.

Bis Seriennummer: 999

Die **Betriebsanleitung** ist in folgenden Sprachen erhältlich:

Sprache	Bestellnr.	Sprache	Bestellnr.
Deutsch	322850	Englisch	322851
Französisch	322852	Italienisch	322854
Spanisch	322855		


Ab Seriennummer: 1000

Die **Betriebsanleitung** ist in folgenden Sprachen erhältlich:

Sprache	Bestellnr.	Sprache	Bestellnr.
Deutsch	2340850	Englisch	2340851
Französisch	2340852	Italienisch	2340853
Spanisch	2340854		

2 SERVICESET FÜR FARBSTUFE COBRA 40-25

Bis Seriennummer: 999



Bestellnummern von Montagematerial:

Pos	Stk	Bestellnr.	Benennung
104	1	9992831	Loctite 542 50 ml; 50 cc
105	1	9992528	Loctite 270 50 ml; 50 cc
106	1	9992511	Loctite 243 50 ml; 50 cc
109	1	2314670	Montagedorn für die Kolbenstangenmontage
110	1	9992616	Molykote DX Fettpaste
111	1	9998808	Fett Mobilux EP2

Hinweise:

Die Montage der Kolbenstange (25) darf nur mit aufgeschraubtem Montagedorn (109) durchgeführt werden.

Alle O-Ringe und Dichtungen vor dem Einbau leicht mit Fett (111) einstreichen.


Im Serviceset Farbstufe Cobra 40-25 mit der Bestellnr. 2312289 sind folgende Teile enthalten:

Pos	K	Stk	Bestellnr.	Benennung	Abmessungen
8	◆ ★	2	2306183	O-Ring	37.69x3.53
11	◆ ★	1	2308753	Set Einlassventil kompl. (bestehend aus 2 Ventilen)	
18	◆ ★	1	2308760	Set Auslassventil kompl. (Ersatzteile für 2 Ventile)	
20	◆ ★	1	2308754	Set Membrane kompl. Cobra 40-25 mit Einlage	
71	◆ ★	2	9971486	O-Ring (lösemittelresistent)	4x2
73	◆ ★	1	9971395	O-Ring	10x1.25
			2312289	Service Set Farbstufe Cobra 40-25	

◆ = Verschleissenteil

★ = Im Service Set enthalten


Abmessungen der O-Ringe: Innendurchmesser x Schnurdurchmesser in mm



B_02940

3 SERVICESET FÜR FARBSTUFE COBRA 40-25

Ab Seriennummer: 1000


**Im Serviceset Farbstufe Cobra 40-25 mit der Bestellnr. 2312289 sind folgende Teile enthalten:**

Pos	K	Stk	Bestellnr.	Benennung	Abmessungen
8	◆ ★	2	2306183	O-Ring	37.69x3.53
11	◆ ★	1	2308753	Set Einlassventil kompl. (bestehend aus 2 Ventilen)	
18	◆ ★	1	2308760	Set Auslassventil kompl. (Ersatzteile für 2 Ventile)	
20	◆ ★	1	2308754	Set Membrane kompl. Cobra 40-25 mit Einlage	
71	◆ ★	2	9971486	O-Ring (lösemittelresistent)	4x2
73	◆ ★	1	9971395	O-Ring	10x1.25
			2312289	Service Set Farbstufe Cobra 40-25	

◆ = Verschleissenteil

★ = Im Service Set enthalten

Abmessungen der O-Ringe: Innendurchmesser x Schnurdurchmesser in mm

Cobra 40-25

B_04257



Weitere Kontaktadressen sind im Internet zu finden unter:

www.wagner-group.com

Unternehmen/Standorte/WAGNER weltweit

Änderungen vorbehalten

Bestellnr. 2312315

Deutschland

J. WAGNER GmbH
Otto-Lilienthal-Str. 18
Postfach 1120

D- 88677 Markdorf

Telefon +49/ (0)7544 / 5050
Telefax +49/ (0)7544 / 505200
E-Mail service.standard@wagner-group.com

Schweiz

J. WAGNER AG
Industriestrasse 22
Postfach 663

CH- 9450 Altstätten

Telefon +41/ (0)71 / 757 2211
Telefax +41/ (0)71 / 757 2222

www.wagner-group.com

Supplement for Cobra 40-25 Fluid Section Service Set (Order No. 2312289)

1 GENERAL SAFETY INSTRUCTIONS

	 WARNING Incorrect maintenance/repair! Risk of injury and damage to the device. → Have repairs and part replacements carried out only by specially trained staff or a WAGNER service center. → Before all work on the device and in the event of work interruptions: - Switch off the energy/compressed air supply. - Relieve the pressure from the spray gun and device. - Secure the spray gun against actuation. → Observe the operating manual and service instructions at all times when carrying out work.
--	--

This supplement only contains information about the service set.

→ Further information such as operation, repair and maintenance of the double diaphragm pump and relevant safety information can be found in the operating manual.

This equipment can be dangerous if it is not operated in accordance with the operating manual.

Compliance with these instructions constitutes an integral component of the warranty agreement.

To serial number: 999

The **operating manual** is available in the following languages:

Language	Order No.	Language	Order No.
German	322850	English	322851
French	322852	Italian	322854
Spanish	322855		


From serial number: 1000

The **operating manual** is available in the following languages:

Language	Order No.	Language	Order No.
German	2340850	English	2340851
French	2340852	Italian	2340853
Spanish	2340854		

2 SERVICE SET FOR COBRA 40-25 FLUID SECTION

To serial number: 999



Order numbers of assembly material:

Pos	Stk	Order No.	Designation
104	1	9992831	Loctite 542 50 ml; 50 cc
105	1	9992528	Loctite 270 50 ml; 50 cc
106	1	9992511	Loctite 243 50 ml; 50 cc
109	1	2314670	Assembly mandrel for piston rod assembly
110	1	9992616	Molykote DX grease
111	1	9998808	Mobilux EP 2 grease

Notes:

The piston rod (25) may only be mounted with the screwed-on assembly pin (109).

Grease all o-rings and seals lightly with grease (111) before mounting them.


The Cobra 40-25 fluid section service set with order no. 2312289 contains the following parts:

Pos	K	Stk	Order No.	Designation	Dimensions
8	◆ ★	2	2306183	O-ring	37.69x3.53
11	◆ ★	1	2308753	Set Inlet valve assy. (consisting of 2 valves)	
18	◆ ★	1	2308760	Outlet valve set, complete (spare parts for 2 valves)	
20	◆ ★	1	2308754	Cobra 40-25 diaphragm set, complete, with insert	
71	◆ ★	2	9971486	O-ring (solvent-resistant)	4x2
73	◆ ★	1	9971395	O-ring	10x1.25
			2312289	Service set for Cobra 40-25 fluid section	

◆ = Wearing parts

★ = Included in service set


Dimensions of O-rings: inner diameter x cross-section in mm

SUPPLEMENT**WAGNER**

B_02940

3 SERVICE SET FOR COBRA 40-25 FLUID SECTION

From serial number: 1000

**Order numbers of assembly material:**

Pos	Stk	Order No.	Designation
104	1	9992831	Loctite 542 50 ml; 50 cc
105	1	9992528	Loctite 270 50 ml; 50 cc
106	1	9992511	Loctite 243 50 ml; 50 cc
109	1	2314670	Assembly mandrel for piston rod assembly
110	1	9992616	Molykote DX grease
111	1	9998808	Mobilux EP 2 grease

Notes:

The piston rod (25) may only be mounted with the screwed-on assembly pin (109).

Grease all o-rings and seals lightly with grease (111) before mounting them.

The Cobra 40-25 fluid section service set with order no. 2312289 contains the following parts:


Pos	K	Stk	Order No.	Designation	Dimensions
8	◆ ★	2	2306183	O-ring	37.69x3.53
11	◆ ★	1	2308753	Set Inlet valve assy. (consisting of 2 valves)	
18	◆ ★	1	2308760	Outlet valve set, complete (spare parts for 2 valves)	
20	◆ ★	1	2308754	Cobra 40-25 diaphragm set, complete, with insert	
71	◆ ★	2	9971486	O-ring (solvent-resistant)	4x2
73	◆ ★	1	9971395	O-ring	10x1.25
			2312289	Service set for Cobra 40-25 fluid section	

◆ = Wearing parts

★ = Included in service set

Dimensions of O-rings: inner diameter x cross-section in mm

SUPPLEMENT

**Cobra 40-25**

B_04257



More contact addresses on the Internet at:
www.wagner-group.com
Company/Locations/WAGNER worldwide

Subject to changes without notice

Order No. 2312315

Germany

J. WAGNER GmbH
Otto-Lilienthal-Str. 18
Postfach 1120

D- 88677 Markdorf

Phone +49/ (0)7544 / 5050
Fax +49/ (0)7544 / 505200
E-mail service.standard@wagner-group.com

Switzerland

J. WAGNER AG
Industriestrasse 22
Postfach 663

CH- 9450 Altstätten

Phone +41/ (0)71 / 757 2211
Fax +41/ (0)71 / 757 2222

www.wagner-group.com